

SEARCH REQUEST FORM

Scientific and Technical Information Center

Requester's Full Name: ALEX RADA Examiner #: 78217 Date: 6-17-03
 Art Unit: 3714 Phone Number 30 8-7135 Serial Number: 09/966696
 Mail Box and Bldg/Room Location: 10D28 Results-Format Preferred (circle): PAPER DISK E-MAIL

If more than one search is submitted, please prioritize searches in order of need.

Please provide a detailed statement of the search topic, and describe as specifically as possible the subject matter to be searched. Include the elected species or structures, keywords, synonyms, acronyms, and registry numbers, and combine with the concept or utility of the invention. Define any terms that may have a special meaning. Give examples or relevant citations, authors, etc, if known. Please attach a copy of the cover sheet, pertinent claims, and abstract:

Title of Invention: CARRYING DEVICE HAVING A CONTAINER-ITEM HOLDER

Inventors (please provide full names): JOSEPH HEDRICK Kchl TLE sound,
Jean P Legras

Earliest Priority Filing Date: 9/28/01

For Sequence Searches Only Please include all pertinent information (parent, child, divisional, or issued patent numbers) along with the appropriate serial number.

STAFF USE ONLY**Type of Search****Vendors and cost where applicable**

Searcher: <u>Wallace</u>	NA Sequence (#) _____	STN _____
Searcher Phone #: <u>305-8587</u>	AA Sequence (#) _____	Dialog <u>✓</u>
Searcher Location: <u>CPZ-2608</u>	Structure (#) _____	Questel/Orbit _____
Date Searcher Picked Up: <u>6/18/03</u>	Bibliographic <u>✓</u>	Dr.Link _____
Date Completed: <u>6/18/03</u>	Litigation <u>✓</u>	Lexis/Nexis _____
Searcher Prep & Review Time: _____	Fulltext <u>✓</u>	Sequence Systems _____
Clerical Prep Time: _____	Patent Family _____	WWW/Internet <u>✓</u>
Online Time: _____	Other _____	Other (specify) _____



STIC Search Report

EIC 3700

STIC Database Tracking Number: 96785

TO: Alex P Rada
Location: CP2-10D28
Art Unit: 3714
Wednesday, June 18, 2003

Case Serial Number: 09/966696

From: Julie Walko
Location: EIC 3700
CP2-2C08
Phone: 305-8587

Julie.walko@uspto.gov

Search Notes

Alex:

Attached are the results to your request regarding a cup holder with a hook.

I didn't find anything relevant in the non-patent literature, but I found a few items in the foreign patents and on the Internet.

If you have any questions or would like this search reworked in any way, please do not hesitate to contact me at the number or address listed above.



STIC Search Results Feedback Form

EIC 3700

Questions about the scope or the results of the search? Contact *the EIC searcher or contact:*

John Sims, EIC 3700 Team Leader
308-4836, CP2-2C08

Voluntary Results Feedback Form

➤ I am an examiner in Workgroup: Example: 3730

➤ Relevant prior art **found**, search results used as follows:

- ☐ 102 rejection
- ☐ 103 rejection
- ☐ Cited as being of interest.
- ☐ Helped examiner better understand the invention.
- ☐ Helped examiner better understand the state of the art in their technology.

Types of relevant prior art found:

- ☐ Foreign Patent(s)
- ☐ Non-Patent Literature
(journal articles, conference proceedings, new product announcements etc.)

➤ Relevant prior art **not found**:

- ☐ Results verified the lack of relevant prior art (helped determine patentability).
- ☐ Results were not useful in determining patentability or understanding the invention.

Comments:

Drop off or send completed forms to STIC/EIC3700 CP2 2C08





[Home](#) | [Join As A Seller](#) | [Resources](#) | [Contact Us](#) | [About](#)
[My Account](#) | [My Basket](#) | [Wish List](#) | [Search](#) | [Help](#) | [Login](#)

Browse Categories:

[Advertising](#)
[Architectural](#)
[Auction Catalogs](#)
[Books](#)
[Carpets/Rugs](#)
[Clocks](#)
[Decorative Arts](#)
[Furniture](#)
[Glass](#)
[Jewelry](#)
[Lighting Devices](#)
[Maps](#)
[Orientalia](#)
[Porcelain-Pottery](#)
[Scientific-Medical](#)
[Silver/Silverware](#)
[Textiles-Sewing](#)
[Vintage Apparel](#)

[More Categories »](#)


item detail



Full Size

[Email Dealer](#)
[View Dealer's Other Items](#)
[Add To Wish List](#)
[Email Item To A Friend](#)

Bathroom Accessory -Cup Holder With A Hook Underneath

Channel: Antiques**Dealer:** [Eugenia's Antique Hardware](#)**Contact:** Lance F Dobson**Email Dealer****Dealer accepts:** American Express, Discover, Master Card, Visa, Personal Check, Money Order**Price:** \$75.00 USD - [Currency Converter](#)**Shipping inside United States:** Quoted at time of purchase**Shipping outside United States:** Quoted at time of purchase

Description: Price Is For This Wonderful, Old, Nickle Plated Over Brass, Cup Holder That Has A Hook Underneath It -Old Nickle Has Held Up Very Nicely With Very Faint Wear -Appx. 3 1/8" Diameter Of Cup Holder ;Appx. 4 " From Wall Extension -Mounts By Two Screws Into The Front Of The Backplate -Purchaser Pays Shipping.

Status: For Sale**Reference#:**

YE51A13

Condition: Good**Year:** 1900's - 1920's**Country:** U.S.**Materials:** Nickle Plated Over Brass
[Click to View Dealer's Policies](#)
[Home](#) | [Find a Dealer/Mall](#) | [Resources](#) | [Join](#) | [About Us](#)
[Contact Us](#) | [Help/FAQs](#) | [Privacy Policy](#) | [Terms of Use](#)

© 1996-2003 GoAntiques, Inc. All Rights & Media Reserved.


[Advanced Search](#)
[Preferences](#)
[Language Tools](#)
[Search Tips](#)

The following words are very common and were not included in your search:
with a. [\[details\]](#)

Web - [Images](#) - [Groups](#) - [Directory](#) - [News](#)

Searched the web for **"cup holder" with a hook**.

Results **1 - 10** of about **2,830**. Search took **0.30** seconds.

Buy Cup Hook online from the "world's largest hardware store"

Sponsored Link

www.doitbest.com 70,000 items. 4,300 stores. Orders in by 2pm ship same day.

Stainless Cup Hooks

Sponsored Link

GateLatchUSA.com Stainless steel and solid brass **cup** hooks. Quality hardware specialists

Bathroom Accessory -Cup Holder With A Hook Underneath

Sponsored Links

Bathroom Accessory -**Cup Holder With A Hook Underneath** Channel: Antiques Dealer:

Eugenia's Antique Hardware Contact: Lance F Dobson Email Dealer ...
antiques.goantiques.com/taxis,bathroom_accessory_cup,3d94b33448.html - 15k

- [Cached](#) - [Similar pages](#)

SeaCalm marine Cup holder

Gimbale Stainless holder, coffee, beer, wine, marine or 4WD use
www.seacalm.pl.net/

Interest: [\[interest\]](#)

[See your message here...](#)

Linfield Brass Bathroom / Bath Hardware - Rejuvenation

... Linfield Double **Hook**, Linfield Double **Hook** #9323 base price \$12.00 See Details.

Linfield **Cup Holder**, Linfield **Cup Holder** #9628 base price \$38.00 See Details. ...

www.rejuvenation.com/typepagelinfield%20brass/templates/houseparts_group.html - 31k - [Cached](#) - [Similar pages](#)

Bathroom / Bath Accessories - Rejuvenation

... Linfield Soap & **Hook** Set, Linfield Soap & **Hook** Set #5105 base price \$44.00 See ... Linfield **Cup Holder**, Linfield **Cup Holder** #9628 base price \$38.00 See Details. ...

www.rejuvenation.com/typepagebath%20accessories/templates/houseparts_group.html - 24k - [Cached](#) - [Similar pages](#)

[PDF] The patented Rugged Gear Hook System is the absolute best holder ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... 10010 • Suction **Cup Holder**, #10020 • Suction **Cup Holder**, Single-Hook Double-Hook
One pair per clamshell package. One pair per clamshell package. ...

www.ruggedgear.com/documents/RG_2002_Catalog.pdf - [Similar pages](#)

Display Product

... glove box, Rp, 65,000, Buy. CASE LOGIC AFS-10, Front seat caddy, **cup holder**, pockets, **hook** & cord lock, Rp, 100,000, Buy. CASE LOGIC AGB-10, ...

www.bhinneka.com/Engine/display.asp?c=135 - 61k - [Cached](#) - [Similar pages](#)

TAKIYA - SITEMAP

... Stopper & Coat **Hook** - Door Stopper with **hook** * SINTESI - SINTESI Products List - **Hook** - Mirror light - Mirror - Shelf - Tooth Brush & **Cup holder** - Toilet Paper ...

www.takiya.org/en/sitemap/ - 11k - [Cached](#) - [Similar pages](#)

Fisher Motorsport: listing for Accessories

... 2. 4 Can and **Cup Holder**, 4 Can and **Cup Holder**, \$41.99, ... 10.


Helmet **Ho k**, for 1 3/4" cage, \$17.90, ...

www.fisher.org/store/category_listing.lasso?cat=Accessories - 48k - Jun 16, 2003 - [Cached](#) - [Similar pages](#)

... Bathroom Accessories -**Hook**, Bathroom Accessories -**Hook**, Channel: Estate Items. ... Bathroom
Accessory -**Cup H Ider**, Bathroom Accessory -**Cup H Ider**, Channel: Estate Items. ...
estate.goantiques.com/category,architectural-7.html - 28k - Cached - Similar pages

www.antiquenet.com/ taxis,bathroom_accessory_combination,3d8d223ca.html - 15k - Cached - Similar pages

www.uchsc.edu/atp/library/makentake/ buttonhook_zipperpull.htm - 8k - Cached - Similar pages



Dissatisfied with your search results? Help us improve.

©2003 Google

*Inventor
Secret*

9/5/1 (Item 1 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

015293342 **Image available**

WPI Acc No: 2003-354276/200333

XRPX Acc No: N03-283141

Gaming device used in e.g. gaming area, casino, has container -item holder installed to support e.g. bolster of device cabinet

Patent Assignee: HEDRICK J R (HEDR-I); LEGRAS J P (LEGR-I); LESOURD K T (LESO-I)

Inventor: HEDRICK J R ; LEGRAS J P ; LESOURD K T

Number of Countries: 001 Number of Patents: 001

Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week
US 20030062673	A1	20030403	US 2001966696	A	20010928	200333 B

*the
Patent*

Priority Applications (No Type Date): US 2001966696 A 20010928

Patent Details:

Patent No	Kind	Lan Pg	Main IPC	Filing Notes
US 20030062673	A1	11	A63F-009/00	

Abstract (Basic): US 20030062673 A1

NOVELTY - The device (10a) has a cabinet (12a) installed with a support e.g. bolster (14) provided with a **container** -item holder (20).

DETAILED DESCRIPTION - INDEPENDENT CLAIMS are also included for the following:

- (a) a **container** -item holder; and
- (b) a holder-gaming device combination unit.

USE - None given.

ADVANTAGE - Improves convenience of player when playing gaming device, since he/she does not have to hold onto his/her personal belongings or **container** . Offers secure and comfortable gaming environment, at reduced cost.

DESCRIPTION OF DRAWING(S) - The figure shows the isometric view of the gaming device.

Gaming device (10a)

Cabinet (12a)

Bolster (14)

Container -item holder (20)

pp; 11 DwgNo 1/10

Title Terms: GAME; DEVICE; GAME; AREA; CASINO; **CONTAINER** ; ITEM; HOLD; INSTALLATION; SUPPORT; BOLSTER; DEVICE; CABINET

Derwent Class: P36

International Patent Class (Main): A63F-009/00

International Patent Class (Additional): A63B-071/00

File Segment: EngPI

9/5/2 (Item 2 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

012754846 **Image available**

WPI Acc No: 1999-560963/199947

XRAM Acc No: C99-163372

XRPX Acc No: N99-414501

A dual use vacuum cleaner/carpet cleaner has a removable water filter

Patent Assignee: THERMAX INC (THER-N)

Inventor: COLLINS G W; **LESOURD K T**

Number of Countries: 001 Number of Patents: 001

Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week
US 5958113	A	19990928	US 9740297	A	19970318	199947 B

Priority Applications (No Type Date): US 9740297 A 19970318

Patent Details:

Patent No	Kind	Lan Pg	Main IPC	Filing Notes
US 5958113	A	14	B01D-047/02	

Abstract (Basic): US 5958113 A

NOVELTY - The machine has a modular construction and includes a removable water filter secured to the filtration tank. An extra filter is provided downstream from the suction motor to reduce particle emission. Liquid filling the recovery tank above the water inlet port level is aspirated by the return stream to be entrained by this water for primary filtration.

USE - Vacuum cleaner and carpet cleaner

ADVANTAGE - The detergent **container** can be removed when not required with the machine in vacuum mode. The hydro-filtration tank is more easily cleaned. The amount of particles released into the environment is reduced.

DESCRIPTION OF DRAWING(S) - A cross section view of the hydro-extraction module

- vacuum motor (24)
- vacuum hose (28)
- hydro-filter (32)
- inlet ports (42)
- exhaust tube (86)
- baffle (88)
- exhaust manifold (90)
- conventional filter (110)
- float assembly (114)

pp; 14 DwgNo 3/8

Title Terms: DUAL; VACUUM; CLEAN; CARPET; CLEAN; REMOVE; WATER; FILTER

Derwent Class: J01; X27

International Patent Class (Main): B01D-047/02

File Segment: CPI; EPI

9/5/3 (Item 3 from file: 350)

DIALOG(R)File 350:Derwent WPIX

(c) 2003 Thomson Derwent. All rts. reserv.

012317359 **Image available**

WPI Acc No: 1999-123465/199911

XRPX Acc No: N99-090345

Gaming machine with video display

Patent Assignee: INT GAME TECHNOLOGY (ITGA-N)

Inventor: GRISWOLD C W; **HEDRICK J R** ; **LEGRAS J P** ; LUCIANO R A; STEPHAN D C; HENDRICK J R

Number of Countries: 031 Number of Patents: 010

Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week
-----------	------	------	-------------	------	------	------

EP 896308	A1	19990210	EP 98111287	A	19980618	199911	B
AU 9878858	A	19990218	AU 9878858	A	19980807	199919	
JP 11099283	A	19990413	JP 98222867	A	19980806	199925	
ZA 9807113	A	19990526	ZA 987113	A	19980807	199927	
CA 2238676	A	19990208	CA 2238676	A	19980526	199930	
US 6135884	A	20001024	US 97910924	A	19970808	200055	
BR 9806529	A	20010313	BR 986529	A	19980807	200118	
US 6368216	B1	20020409	US 97910924	A	19970808	200227	
			US 2000615968	A	20000714		
JP 2002095786	A	20020402	JP 98222867	A	19980806	200238	
			JP 2001233497	A	19980806		
AU 746506	B	20020502	AU 9878858	A	19980807	200238	

Priority Applications (No Type Date): US 97910924 A 19970808; US 2000615968 A 20000714

Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
-----------	------	-----	----	----------	--------------

EP 896308	A1	E	39	G07F-017/34	
-----------	----	---	----	-------------	--

Designated States (Regional): AL AT BE CH CY DE DK ES FI FR GB GR IE IT LI LT LU LV MC MK NL PT RO SE SI

AU 9878858	A		A63F-009/22
------------	---	--	-------------

JP 11099283	A	28	A63F-009/22
-------------	---	----	-------------

ZA 9807113	A	57	A63B-000/00
------------	---	----	-------------

CA 2238676	A		G07C-015/00
------------	---	--	-------------

US 6135884	A		A63F-009/22
------------	---	--	-------------

BR 9806529	A		G07F-017/34
------------	---	--	-------------

US 6368216	B1		A63F-013/00
------------	----	--	-------------

Cont of application US 97910924

Cont of patent US 6135884

JP 2002095786	A	27	A63F-005/04
---------------	---	----	-------------

Div ex application JP 98222867

AU 746506	B		A63F-009/22
-----------	---	--	-------------

Previous Publ. patent AU 9878858

Abstract (Basic): EP 896308 A1

NOVELTY - The machine has a chassis primary game outcome controller, primary game display and a separate secondary flat panel display for the video content. It has a hinged secondary display support in a top box or belly and is a flat panel CRT, LCD, plasma display or touch screen. The main display is a set of spinning reels.

DETAILED DESCRIPTION - Independent claims are also included for the following:

(1) a method of displaying video content on a gaming machine;

(2) a gaming machine comprising a projection type liquid crystal display located in an interior portion of the gaming machine, a screen provided on an exterior portion of the gaming machine and a projection apparatus for projecting the video content onto the screen.

USE - For slot machine e.g. poker machine for casino.

ADVANTAGE - Allows easy modification for new games or features, reducing the cost involved in having to replace silk screened **glasses**

DESCRIPTION OF DRAWING(S) - The figure shows a slot machine containing a video display.

top **glass** 214

secondary video display 219

lit displays 246

belly **glass** 218

belly **glass** video display 223

play buttons 230

pp; 39 DwgNo 2/13

Title Terms: GAME; MACHINE; VIDEO; DISPLAY
Derwent Class: P36; T05; W04
International Patent Class (Main): A63B-000/00; A63F-005/04; A63F-009/22;
A63F-013/00; G07C-015/00; G07F-017/34
International Patent Class (Additional): A63D-000/00; A63F-013/08;
A63F-013/10
File Segment: EPI; EngPI

9/5/4 (Item 4 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2003 European Patent Office. All rts. reserv.

00621241

System, apparatus and method for generating large jackpots on live card game tables

PATENT ASSIGNEE:

International Game Technology, (2015071), 9295 Prototype Drive, Reno,
Nevada 89511-8986, (US), (applicant designated states:
BE;DE;ES;FR;GB;GR;IT;SE)

INVENTOR:

Paulsen, Craig A., 1350 Monte Vista Drive, Reno, Nevada 89511, (US)
Pease, Logan L., 4590 Kilborne Court, Reno, Nevada 89509, (US)
Bertram, William K., 350 Yellow Pine Road, Reno, Nevada 89511, (US)
Carmean, Wes F., 4770 Sinelio Drive, Reno, Nevada 89502, (US)
Chilton, Ward W., P.O. Box 7643, Reno, Nevada 89510, (US)
Hedrick, Joseph R., 4410 Garrett Circle, Sparks, Nevada 89436, (US)

LEGAL REPRESENTATIVE:

Finsterwald, Manfred, Dipl.-Ing., Dipl.-Wirtsch.-Ing. et al (3693),
Robert-Koch-Strasse 1, 80538 Munchen, (DE)

PATENT (CC, No, Kind, Date): EP 607823 A1 940727 (Basic)
EP 607823 B1 980909

APPLICATION (CC, No, Date): EP 94100199 940107;

PRIORITY (CC, No, Date): US 6908 930121

DESIGNATED STATES: BE; DE; ES; FR; GB; GR; IT; SE

INTERNATIONAL PATENT CLASS: G07F-017/32; A63F-001/06;

ABSTRACT EP 607823 A1

A system to generate large (e.g. \$1 million) jackpots for live card games such as blackjack is disclosed. Multiple live card tables (2) are placed in one or more gaming establishments. A coin acceptor (12) is assigned to each player position (8) on the tables and includes a sensor (14) for determining the presence of a coin (76) to generate a signal indicating that a jackpot side bet has been placed and to correspondingly increase the available jackpot that is being accumulated from the side bets on all tables. The coin acceptors are mounted directly to the playing tables. The acceptors have a low profile above the table top and include sloping surfaces (72) to facilitate the insertion and withdrawal of coins from them. Each coin acceptor communicates with a central computer (24) or processor. The computer keeps track of jackpot accumulations, deducts winnings therefrom, controls strategically positioned displays (28) to inform players and dealers of the size of the available jackpot or jackpots, and the table includes controls adjacent the dealer position to prevent late betting and pay winning players their jackpots. (see image in original document)

ABSTRACT WORD COUNT: 190

LEGAL STATUS (Type, Pub Date, Kind, Text):

Application: 940727 A1 Published application (Alwith Search Report
;A2without Search Report)
Examination: 950222 A1 Date of filing of request for examination:
941221
Examination: 960904 A1 Date of despatch of first examination report:
960723
*Assignee: 980520 A1 Applicant (transfer of rights) (change):
International Game Technology (2015071) 9295
Prototype Drive Reno, Nevada 89511-8986 (US)
(applicant designated states:
BE;DE;ES;FR;GB;GR;IT;SE)
*Assignee: 980520 A1 Previous applicant in case of transfer of
rights (change): IGT - North America (1736340)
520 South Rock Boulevard Reno, Nevada 89502
(US) (applicant designated states:
BE;DE;ES;FR;GB;GR;IT;SE)
Grant: 980909 B1 Granted patent
Oppn None: 990901 B1 No opposition filed: 19990610
LANGUAGE (Publication,Procedural,Application): English; English; English

9/5/5 (Item 5 from file: 349)

DIALOG(R)File 349:PCT FULLTEXT

(c) 2003 WIPO/Univentio. All rts. reserv.

00984893 **Image available**

PLAYER TRACKING COMMUNICATION MECHANISMS IN A GAMING MACHINE

**MECANISMES DE COLLECTE D'INFORMATIONS POUR UTILISATEUR D'APPAREIL DE JEUX
DE HASARD**

Patent Applicant/Assignee:

IGT, 9295 Prototype Way, Reno, NV 89511-8986, US, US (Residence), US
(Nationality)

Inventor(s):

HEDRICK Joseph R , 13355 West Saddlebow Drive, Reno, NV 89511, US,
NGUYEN Binh T, 1445 Taos Court, Reno, NV 89511, US

Legal Representative:

OLYNICK David P (agent), BEYER WEAVER & THOMAS, LLP, P.O. Box 778,
Berkeley, CA 94704-0778, US,

Patent and Priority Information (Country, Number, Date):

Patent: WO 200315042 A1 20030220 (WO 0315042)

Application: WO 2002US23778 20020725 (PCT/WO US0223778)

Priority Application: US 2001921489 20010803

Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU

CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP

KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ OM PH PL PT RO

RU SD SE SG SI SK SL TJ TM TN TR TT TZ UA UG UZ VN YU ZA ZM ZW

(EP) AT BE BG CH CY CZ DE DK EE ES FI FR GB GR IE IT LU MC NL PT SE SK TR

(OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG

(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZM ZW

(EA) AM AZ BY KG KZ MD RU TJ TM

Main International Patent Class: G07F-017/32

Publication Language: English

Filing Language: English

English Abstract

A disclosed a player tracking unit provides a display, one or more

illumination devices adjacent to the display and a logic device designed to control illumination of the illumination devices in a manner that visually conveys gaming information to an individual viewing the devices. A speaker may be also provided on the player tracking unit to aurally convey gaming information such as voice messages designed to inform or instruct the player in some manner. The player tracking unit may include a wireless interface device designed or configured to allow player tracking information to be automatically downloaded from a portable wireless device carried by the player or player status information to be communicated to a casino service representative carrying a portable wireless device.

Legal Status (Type, Date, Text)

Publication 20030220 A1 With international search report.

Examination 20030501 Request for preliminary examination prior to end of 19th month from priority date

9/5/6 (Item 6 from file: 349)

DIALOG(R) File 349:PCT FULLTEXT

(c) 2003 WIPO/Univentio. All rts. reserv.

00890268 **Image available**

GAMING MACHINE WITH HOPPER AND PRINTER

MACHINE A SOUS COMPORTANT UNE TREMIE ET UNE IMPRIMANTE

Patent Applicant/Assignee:

INTERNATIONAL GAME TECHNOLOGY, 9295 Prototype Drive, Reno, NV 89511, US,
US (Residence), US (Nationality)

Inventor(s):

CHAMBERLAIN John W, 1335 Buzzys Ranch Road, Carson City, NV 89701, US,
HEDRICK Joseph R, 13355 W. Saddlebon Drive, Reno, NV 89511, US,
SAFFARI Ali, 2440 Catamaran Drive, Reno, NV 89505, US,
HOLLIBAUGH Larry R, 725 Silver Mine Court, Reno, NV 89511, US

Legal Representative:

HIRSCH Martin J (agent), Marshall, Gerstein & Borun, 6300 Sears Tower,
233 South Wacker Drive, Chicago, IL 60606, US,

Patent and Priority Information (Country, Number, Date):

Patent: WO 200223491 A2-A3 20020321 (WO 0223491)

Application: WO 2001US27555 20010906 (PCT/WO US0127555)

Priority Application: US 2000659924 20000912

Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU

CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP

KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PH PL PT RO RU

SD SE SG SI SK SL TJ TM TR TT TZ UA UG UZ VN YU ZA ZW

(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR

(OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG

(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW

(EA) AM AZ BY KG KZ MD RU TJ TM

Main International Patent Class: G07F-017/32

Publication Language: English

Filing Language: English

English Abstract

A gaming machine in which the form of pay out is selectable by the operator and/or user to provide a pay out with coins or by way of a ticket. The gaming machine incorporates both a hopper for coin operated play as well as a printer for cashless play. In accordance with one

aspect of the machine, the system can automatically detect when one of the pay out systems is disabled or otherwise unavailable and automatically continue operation with the other pay out method to allow the machine to function in a limited state. The system thus helps the transition for players from coin operated machines to cashless gaming machines, and accommodates users with different cash out preferences. The gaming machine also accepts tickets, allowing users to easily move their credits from one gaming machine to another.

Legal Status (Type, Date, Text)

Publication	20020321	A2 Without international search report and to be republished upon receipt of that report.
Examination	20020418	Request for preliminary examination prior to end of 19th month from priority date
Search Rpt	20020801	Late publication of international search report
Republication	20020801	A3 With international search report.
Republication	20020801	A3 Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

Set	Items	Description
S1	16	E3,E10
S2	13	AU='HEDRICK JOSEPH R'
S3	7	AU='LESOURD K T':AU='LESOURD KEHL T'
S4	11	E3,E8
S5	6	AU='LEGRAS JEAN P':AU='LEGRAS JEAN PIERRE'
S6	36	S1:S5
S7	9	S6 AND (CUP? ? OR CONTAINER? ? OR GLASS?? OR BEVERAGE? ? OR MUG? ?)
S8	9	IDPAT (sorted in duplicate/non-duplicate order)
S9	6	IDPAT (primary/non-duplicate records only)

? show files

File 347:JAPIO Oct 1976-2003/Feb(Updated 030603)

(c) 2003 JPO & JAPIO

File 348:EUROPEAN PATENTS 1978-2003/Jun W01

(c) 2003 European Patent Office

File 349:PCT FULLTEXT 1979-2002/UB=20030612,UT=20030605

(c) 2003 WIPO/Univentio

File 350:Derwent WPIX 1963-2003/UD,UM &UP=200338

(c) 2003 Thomson Derwent

File 371:French Patents 1961-2002/BOPI 200209

(c) 2002 INPI. All rts. reserv.

*Biblio
Patents*

9/5/10 (Item 10 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

013287486 **Image available**
WPI Acc No: 2000-459421/200040
XRPX Acc No: N00-343361

Table structure for use with vehicle seat backrest, has cup holder with luggage hook installed at bottom of table body and adjoined to peripheral edge of cup holder hole on table body

Patent Assignee: IKEDA BUSSAN CO LTD (IKED)
Number of Countries: 001 Number of Patents: 001
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week
JP 2000177463	A	20000627	JP 98363386	A	19981221	200040 B

Priority Applications (No Type Date): JP 98363386 A 19981221

Patent Details:

Patent No	Kind	Lan Pg	Main IPC	Filing Notes
JP 2000177463	A	5	B60N-003/00	

Abstract (Basic): JP 2000177463 A

NOVELTY - A cup holder (51) is installed at the bottom of a table body (25) and adjoined to the rear peripheral edge of a cup holder hole (41) on the table body. The holder includes a pivot support (52) projecting right and left arms (53), a cup receiving surface (54) between arm ends, and a luggage suspending hook (56) formed at the cup receiving surface.

USE - Table structure for use with vehicle seat backrest.

ADVANTAGE - Enables **hook of cup holder** to easily suspend e.g. luggage, when table body is turned to non use position and adjoined to back surface of backrest. Prevents scattering of luggage when table body is at non use position. Enables simple table structure assembling on back side of backrest. Ensures durability and excellent outer appearance of table structure. Ensures convenient use of passenger compartment.

DESCRIPTION OF DRAWING(S) - The figure shows the isometric view of a table structure.

Table body (25)
Cup holder hole (41)
Cup holder (51)
Pivot support (52)
Arms (53)
Cup receiving surface (54)
Luggage suspending hook (56)
pp; 5 DwgNo 1/6

Title Terms: TABLE; STRUCTURE; VEHICLE; SEAT; BACKREST; CUP; HOLD; LUGGAGE; HOOK; INSTALLATION; BOTTOM; TABLE; BODY; ADJOIN; PERIPHERAL; EDGE; CUP; HOLD; HOLE; TABLE; BODY

Derwent Class: P26; Q14

International Patent Class (Main): B60N-003/00

International Patent Class (Additional): A47C-007/62; B60N-003/10

File Segment: EngPI

9/5/14 (Item 14 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

012651315 **Image available**

WPI Acc No: 1999-457420/199938

XRPX Acc No: N99-342124

Holder for supporting coats, purses and other personal items within the toilet stall of casino

Patent Assignee: ROBINSON M (ROBI-I)

Inventor: ROBINSON M

Number of Countries: 001 Number of Patents: 001

Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week
US 5934637	A	19990810	US 97910153	A	19970813	199938 B

Priority Applications (No Type Date): US 97910153 A 19970813

Patent Details:

Patent No	Kind	Lan Pg	Main IPC	Filing Notes
US 5934637	A		6 A47K-001/08	

Abstract (Basic): US 5934637 A

NOVELTY - A coin cup receptacle (116), hook (118) and swivel hook (120), for respectively holding casino coin cup (134), coat and purse (154), are provided to a frame (114) in a toilet stall. The bolts (24a-24d) are fitted through the holes, formed in the frame, to attach the frame to the surface of a side wall (30).

DETAILED DESCRIPTION - The bolts are extended through the side wall and used to attach the frame of an adjacent toilet stall to the other surface of the side wall.

USE - For holding or supporting coats, purses and other personal items within the toilet stall of casino.

ADVANTAGE - The holder can be easily mounted to either side of a common side wall of adjacent toilet stalls. Prevents the purse from being stolen when inside the toilet stall since the purse is secured from thieves by a swivel hook.

DESCRIPTION OF DRAWING(S) - The figure shows the front perspective view of the holder mounted to the side wall of a toilet stall.

Bolt (24a-24d)
Side wall (30)
Frame (114)
Coin cup receptacle (116)
Hook (118)
Swivel hook (120)
Casino coin cup (134)
Purse (154)
pp; 6 DwgNo 2/4

Title Terms: HOLD; SUPPORT; COAT; PURSE; PERSON; ITEM; TOILET; STALL; CASINO

Derwent Class: P28

International Patent Class (Main): A47K-001/08

File Segment: EngPI

9/5/33 (Item 33 from file: 350)

DIALOG(R) File 350:Derwent WPIX

(c) 2003 Thomson Derwent. All rts. reserv.

009305239 **Image available**

WPI Acc No: 1992-432648/199252

XRPX Acc No: N92-330201

Card table mounted food and beverage holder - has container receptacle mounted to base which has hook to engage table leg

Patent Assignee: CARLSON A E (CARL-I)

Inventor: CARLSON A E

Number of Countries: 001 Number of Patents: 001

Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week
US 5169108	A	19921208	US 91701473	A	19910516	199252 B

Priority Applications (No Type Date): US 91701473 A 19910516

Patent Details:

Patent No	Kind	Lan Pg	Main IPC	Filing Notes
US 5169108	A	14	A47K-001/09	

Abstract (Basic): US 5169108 A

The food and/or beverage holder is for mounting on a card table and includes a food or beverage platform or a beverage container receptacle mounted radially to a base sized to separate the holder far enough from a hook extension, for sanitary reasons. The base is mounted radially from its other end to a table receptacle for providing vertical stability.

From the base or table leg receptacle, a hook extends axially upwardly for removable attachment to one or more of the table leg lateral projections. The beverage holder may be removably constructed for separating a major horizontal member from the remainder of the apparatus, to enhance portability.

ADVANTAGE - Reduced risk of beverage spillage e.g. during card games.

Dwg.1/22

Title Terms: CARD; TABLE; MOUNT; FOOD; BEVERAGE; HOLD; CONTAINER; RECEPTACLE; MOUNT; BASE; HOOK; ENGAGE; TABLE; LEG

Derwent Class: P28

International Patent Class (Main): A47K-001/09

File Segment: EngPI

9/5/48 (Item 48 from file: 347)

DIALOG(R)File 347:JAPIO

(c) 2003 JPO & JAPIO. All rts. reserv.

06591669 **Image available**

TABLE STRUCTURE FOR SEAT BACK

PUB. NO.: 2000-177464 [JP 2000177464 A]

PUBLISHED: June 27, 2000 (20000627)

INVENTOR(s): HOSHINO AKIHIKO

APPLICANT(s): IKEDA BUSSAN CO LTD

APPL. NO.: 10-361476 [JP 98361476]

FILED: December 18, 1998 (19981218)

INTL CLASS: B60N-003/00; A47C-007/62; A47G-029/00; B60N-003/10

ABSTRACT

PROBLEM TO BE SOLVED: To use a hook member irrelevant to the state of the table body, being used or stored state by providing a hook member for hanging a luggage in a position adjacent to a through hole for a cup holder in the rear face of the table body.

SOLUTION: A table body 25 is provided with a through hole 41 for a **cup holder** and a **hook** member 43 for hanging a luggage is provided in the rear face of the table body 25 in a position adjacent to the through hole 41 for the **cup holder**. The **hook** member 43 is provided with a pivot part 45 and a hook 46 rotationally pivoted to the pivot part 45. A holder member 51 for receiving the bottom of a cup, etc., to be inserted in the through hole 41 is provided under the through hole 41 for the **cup holder**. The **hook** 46 of the **hook** member 43 for hanging the luggage is so formed as to be projected from the through hole 41 for the **cup holder**,

however, if the **hook** 46 of the hook member 43 is in a usable state, it may not be projected.

COPYRIGHT: (C) 2000, JPO

Set	Items	Description
S1	1179920	CUP? ? OR BEVERAGE? ? OR CONTAINER? ? OR GLASS?? OR MUG? ?
S2	0	S1(3N)S2
S3	434102	HOLDER? ? OR RECEPTACLE? ? OR POCKET? ?
S4	165545	HOOK? ? OR HANGER? ?
S5	350	S1(3N)S3 AND S4
S6	52	(S1(3N)S3) (5N)S4
S7	51	S6 NOT PY>2002
S8	51	IDPAT (sorted in duplicate/non-duplicate order)
S9	51	IDPAT (primary/non-duplicate records only)

? show files

File 347:JAPIO Oct 1976-2003/Feb(Updated 030603)

(c) 2003 JPO & JAPIO

File 350:Derwent WPIX 1963-2003/UD,UM &UP=200338

(c) 2003 Thomson Derwent

File 371:French Patents 1961-2002/BOPI 200209

(c) 2002 INPI. All rts. reserv.

9/5,K/1 (Item 1 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2003 European Patent Office. All rts. reserv.

01274210

WET TISSUE STORAGE CONTAINER AND ASSEMBLED BODY OF THE CONTAINER
BEHALTER FUR FEUCHTTUCHER UND ZUSAMMENGESETZTE BEHALTER
CONTENANT DE STOCKAGE DE SERVIETTES HUMIDES ET CORPS ASSEMBLE DUDIT
CONTENANT

PATENT ASSIGNEE:

UNI-CHARM CORPORATION, (538286), 182, Shimobun Kinsei-cho, Kawanoe-shi
Ehime 799-0111, (JP), (Applicant designated States: all)

INVENTOR:

TANAKA, Yoshikazu Tech. Ctr., Uni-Charm Corp., 1531-7, Takasuka,
Wadahama, Toyohama-cho, Mitoyo-gun Kagawa 769-1602, (JP)
BANDO, Takeshi Technical Center, Uni-Charm Corp., 1531-7, Takasuka,
Wadahama, Toyohama-cho, Mitoyo-gun Kagawa 769-1602, (JP)
ISHIKAWA, Hiroki Technical Center, Uni-Charm Corp., 1531-7, Takasuka,
Wadahama, Toyohama-cho, Mitoyo-gun Kagawa 769-1602, (JP)
INOUE, Emiko Technical Center, Uni-Charm Corp., 1531-7, Takasuka,
Wadahama, Toyohama-cho, Mitoyo-gun Kagawa 769-1602, (JP)
HAYASHI, Masaho Dai Nippon Printing Co., Ltd., 1-1, Ichigaya-kaga-cho
1-chome Shinjuku-ku, Tokyo 162-8001, (JP)
UEMATSU, Hiroshi Dai Nippon Printing Co., Ltd., 1-1, Ichigaya-kaga-cho
1-chome Shinjuku-ku, Tokyo 162-8001, (JP)
SHINOBI, Norikazu Dai Nippon Printing Co., Ltd., 1-1, Ichigaya-kaga-cho
1-chome Shinjuku-ku, Tokyo 162-8001, (JP)
UENISHI, Toshihiko Dai Nippon Printing Co., Ltd., 1-1, Ichigaya-kaga-cho
1-chome Shinjuku-ku, Tokyo 162-8001, (JP)

LEGAL REPRESENTATIVE:

Muller-Bore & Partner Patentanwalte (100651), Grafinger Strasse 2, 81671
Munchen, (DE)

PATENT (CC, No, Kind, Date): EP 1129656 A1 010905 (Basic)
WO 200117412 010315

APPLICATION (CC, No, Date): EP 2000956913 000904; WO 2000JP5998 000904

PRIORITY (CC, No, Date): JP 99251840 990906; JP 200066771 000310

DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI;
LU; MC; NL; PT; SE

EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI

INTERNATIONAL PATENT CLASS: A47K-010/18

CITED PATENTS (WO A): JP 4012997 U ; JP 60185998 U ; JP 61031291 U ; WO
9919227 A1

ABSTRACT EP 1129656 A1

A wet tissue container (10) includes a container body (11), a lid (23) supported for turning on the container body (11) and a bottom wall (12) hermetically closing the open lower end of the container body (11). A rubber plate (50) is extended between the container body (11) and the lid (23). The wet tissue container (10) is held by a container holder (1). The container holder (1) has a back part (2) on which the bottom wall (12) is seated, guide parts (3, 4) of an L-shaped cross section that engage edge parts (12a, 12b) of the bottom wall (12) and edge parts (14a, 14b) of a flange (14) formed on the container body (11). A support part (5) to be inserted in a slot formed in a toilet paper holder (7) is connected to the back part (2).

ABSTRACT WORD COUNT: 141

NOTE:

Figure number on first page: 0001

LEGAL STATUS (Type, Pub Date, Kind, Text):

Application: 010502 A1 International application. (Art. 158(1))
Application: 010502 A1 International application entering European
phase
Application: 010905 A1 Published application with search report
Examination: 010905 A1 Date of request for examination: 20010508
Search Report: 030507 A1 Date of drawing up and dispatch of
supplementary:search report 20030321
Change: 030507 A1 International Patent Classification changed:
20030317
Change: 030507 A1 International Patent Classification changed:
20030317

LANGUAGE (Publication,Procedural,Application): English; English; Japanese
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	200136	732
SPEC A	(English)	200136	5515
Total word count - document A			6247
Total word count - document B			0
Total word count - documents A + B			6247

...SPECIFICATION with a lid 10 is held in contact with the back part 2 of
the **container holder** 1 with the **hook** 111 of the **container holder**
1 engaged in a hole, not shown, formed in the bottom wall of the
container...

...CLAIMS slot of the toilet paper holder.

6. The combination according to claim 1, wherein

the **container holder** is provided with a **hook** to support the
wet tissue container thereon.

7. The combination according to claim 1; wherein...

9/5,K/4 (Item 4 from file: 348)

DIALOG(R)File 348:EUROPEAN PATENTS

(c) 2003 European Patent Office. All rts. reserv.

00787251

Automotive cup holder

Bechertrager fur Kraftfahrzeuge

Porte-gobelet pour vehicule automobile

PATENT ASSIGNEE:

TAKATA INC., (1302411), 2444 Koppy Drive, Auburn Hills, Michigan 48326,
(US), (Proprietor designated states: all)

INVENTOR:

Wieczorek, Joseph P., 28459 Edward, Madison Heights, Michigan 080295,
(US)

Brunckhorst, Collin C., 15 North Northside Drive, Lake Orion, Michigan
48362, (US)

Davenport, Mark H., 45773 Brookside North, Macomb, Michigan 48044, (US)

Halajian, Eugene M., 39200 Venetian, Harrison Township, Michigan 48045,
(US)

LEGAL REPRESENTATIVE:

Price, Nigel John King (62102), J.A. KEMP & CO. 14 South Square Gray's
Inn, London WC1R 5JJ, (GB)

PATENT (CC, No, Kind, Date): EP 733510 A2 960925 (Basic)
EP 733510 A3 980603
EP 733510 B1 021211

APPLICATION (CC, No, Date): EP 96301185 960222;

PRIORITY (CC, No, Date): US 394392 950224

DESIGNATED STATES: DE; ES; FR; GB; IE; IT; NL; SE

INTERNATIONAL PATENT CLASS: B60N-003/10; B60N-002/46
CITED PATENTS (EP B): EP 438858 A; EP 443726 A; US 4981277 A; US 5102085 A;
US 5284314 A

ABSTRACT EP 733510 A2

A cup holder assembly formed as part of a vehicle arm rest. The cup holder includes a slidable drawer mounted to a frame for movement between an extended position and a retracted position. A retaining arm is supported by the drawer and biased to pivot about a vertical axis between a use position and a stored position. The retaining arm has a retaining ring on one end which defines a container receiving aperture. The ring also includes a downwardly extending offset which is adapted to receive the handle of a container. The drawer additionally has an indentation defined in a lateral side edge and the indentation is located so as to correspond with and receive the offset when the retaining arm is in its stored position. (see image in original document)

ABSTRACT WORD COUNT: 147

NOTE:

Figure number on first page: 4

LEGAL STATUS (Type, Pub Date, Kind, Text):

Examination: 010801 A2 Date of dispatch of the first examination
report: 20010619
Application: 960925 A2 Published application (A1with Search Report
;A2without Search Report)
Grant: 021211 B1 Granted patent
Change: 980520 A2 Obligatory supplementary classification
(change)
Search Report: 980603 A3 Separate publication of the European or
International search report
Examination: 990127 A2 Date of filing of request for examination:
981127

LANGUAGE (Publication,Procedural,Application): English; English; English

FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	EPAB96	1223
CLAIMS B	(English)	200250	980
CLAIMS B	(German)	200250	923
CLAIMS B	(French)	200250	1030
SPEC A	(English)	EPAB96	3488
SPEC B	(English)	200250	3567
Total word count - document A			4712
Total word count - document B			6500
Total word count - documents A + B			11212

...SPECIFICATION support numerous types, styles and sizes of beverage containers. One of the first of these **cup holders** was a one-piece plastic " **hanger** " which included a downwardly extending tab that, during use, was positioned so as to extend...

...SPECIFICATION support numerous types, styles and sizes of beverage containers. One of the first of these **cup holders** was a one-piece plastic " **hanger** " which included a downwardly extending tab that, during use, was positioned so as to extend...

Set	Items	Description
S1	409194	CUP? ? OR BEVERAGE? ? OR CONTAINER? ? OR GLASS?? OR MUG? ?
S2	0	S1(3N)S2
S3	138940	HOLDER? ? OR RECEPTACLE? ? OR POCKET? ?
S4	57270	HOOK? ? OR HANGER? ?
S5	6023	S1(3N)S3
S6	23	S5(5N)S4
S7	20	S6 NOT PY>2002
S8	20	IDPAT (sorted in duplicate/non-duplicate order)
S9	20	IDPAT (primary/non-duplicate records only)

? show files

File 348:EUROPEAN PATENTS 1978-2003/Jun W01

(c) 2003 European Patent Office

File 349:PCT FULLTEXT 1979-2002/UB=20030612,UT=20030605

(c) 2003 WIPO/Univentio